



PCIF BEARING LIMITED



40 mm x 80 mm x 29.7 mm skf yet 208 bearing

Bearing No. yet 208

yet 208 Bearing 2D drawings and 3D CAD models

| | |
|------------------------|--|
| Category | Insert Bearings Spherical OD |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 0.59 |
| EAN | 7316577295392 |
| Product Group | M06110 |
| Inner Race Profile | Narrow Inner Ring |
| Outer Race Profile | Spherical |
| Relubricatable | Yes |
| Seal Type | M Seal |
| Mounting Method | Eccentric Collar |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Long Description | 40MM Bore; Narrow Inner Ring; Ball Bearing; 43.7MM Length Thru Bore; 21MM Outer Race Width; 80MM Outside Diameter; Relubricatable; M Seal Seal; Eccentric Collar Mounting Method; No Snap Ring |
| Inch - Metric | Metric |
| Other Features | Single Row Standard Duty With Set Screw Metric |
| Category | Insert Bearings |
| UNSPSC | 31171536 |
| Harmonized Tariff Code | 8482.10.50.00 |



PCIF BEARING LIMITED

| Noun | Bearing |
|---|---|
| Keyword String | Insert |
| Manufacturer URL | http://www.skf.com |
| Manufacturer Item Number | YET 208 |
| Weight / LBS | 1.3 |
| D | 1.72 Inch 43.7 Millimeter |
| d | 1.575 Inch 40 Millimeter |
| Outer Race Width | 0.827 Inch 21 Millimeter |
| D | 3.15 Inch 80 Millimeter |
| bore diameter: | 40 mm |
| radial dynamic load capacity: | 30.7 kN |
| outside diameter: | 80 mm |
| radial static load capacity: | 19 kN |
| outer ring width: | 21 mm |
| maximum rpm: | 4800 rpm |
| locking device: | Eccentric Collar |
| d | 40 mm |
| D | 80 mm |
| B ₁ | 43.2 mm |
| B | 29.7 mm |
| C | 21 mm |
| d ₁ | 51.8 mm |
| d ₂ | 56.5 mm |
| B ₄ | 6.75 mm |
| r _{1,2} min. | 1 mm |
| s ₁ | 32.7 mm |
| Basic dynamic load rating C | 30.7 kN |
| Basic static load rating C ₀ | 19 kN |
| Fatigue load limit P _u | 0.8 kN |
| Limiting speed ¹⁾ | 4800 r/min |
| Calculation factor f ₀ | 14 |
| Mass complete bearing | 0.6 kg |



PCIF BEARING LIMITED

| | |
|--|------------|
| Thread grub screw G_2 | M10x1 |
| Hexagonal key size for grub screw N | 5 mm |
| Recommended tightening torque for grub screw | 16.5 N · m |