




PCIF BEARING LIMITED



skf 51207 bearing

Bearing No. 51207

Size	35x62x18 mm
Bore Diameter	35 mm
Outer Diameter	62 mm
Width	18 mm
d	35 mm
D	62 mm
H	18 mm
d1	62 mm
r1 min.	1 mm
r2 min.	1 mm
D1	37 mm
da min.	51 mm
Da max.	46 mm
ra max.	1 mm
Weight	0,22 Kg
Basic dynamic load rating (C)	35,1 kN
Basic static load rating (C0)	73,5 kN
Fatigue load limit (Pu)	2,7
Reference speed	4000 r/min
Limiting speed	5600 r/min
Category	Thrust Ball Bearing
Inventory	1.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.217
EAN	7316577058508

51207 Bearing 2D drawings and 3D CAD models



PCIF BEARING LIMITED

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row
Long Description	35MM Bore 1; 37MM Bore 2; 62MM Outside Diameter; 18MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	51207
Weight / LBS	0.478
Height	0.709 Inch 18 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Bore 2	1.457 Inch 37 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	1.378 Inch 35 Millimeter
bore diameter:	35 mm
static load capacity:	73.5 kN
outside diameter:	62 mm



PCIF BEARING LIMITED

dynamic load capacity:	35.1 kN
overall width:	18 mm
maximum rpm:	5600 RPM
thrust bearing type:	Single-Direction
cage material:	Steel
outside diameter design:	Straight
fillet radius:	1 mm
separable or banded:	Separable
series:	512
precision rating:	ABEC 1 (ISO Class Normal)
d_1	62 mm
D_1	37 mm
$r_{1,2}$ min.	1 mm
d_a min.	51 mm
D_a max.	46 mm
r_a max.	1 mm
Basic dynamic load rating C	35.1 kN
Basic static load rating C_0	73.5 kN
Fatigue load limit P_u	2.7 kN
Minimum load factor A	0.028
Mass bearing (including seat washer where applicable)	0.22 kg